





18 MM WINDOW SERIES



HANDLE

SEC.NO.	Amm	Bmm	ØCmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min. Wt.	Max. Wt.
6789	40.00	18.00	3.00	10.00	0.85	0.301	0.270	0.331
6707/L	40.00	18.00	3.00	10.00	1.00	0.354	0.318	0.389
6707	40.00	18.00	3.00	10.00	1.25	0.443	0.398	0.487
6707/HH	40.00	18.00	3.00	10.00	1.55	0.549	0.494	0.603
6707/EH	40.00	18.00	3.00	10.00	1.65	0.584	0.525	0.642




INTERLOCK

SEC.NO.	Amm	Bmm	ØCmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min. Wt.	Max. Wt.
6787	40.00	18.00	3.00	10.00	0.85	0.360	0.324	0.396
6705/L	40.00	18.00	3.00	10.00	1.00	0.423	0.380	0.465
6705/H	40.00	18.00	3.00	10.00	1.10	0.469	0.422	0.515
6705/HH	40.00	18.00	3.00	10.00	1.45	0.614	0.552	0.675
6705/EH	40.00	18.00	3.00	10.00	1.65	0.699	0.629	0.768




18 MM WINDOW SERIES




TOP BOTTOM

SEC.NO.	Amm	Bmm	ϕCmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min. Wt.	Max. Wt.
6790	40.00	18.00	3.00	10.00	0.85	0.307	0.276	0.337
6709/L	40.00	18.00	3.00	10.00	1.00	0.363	0.326	0.399
6709/H	40.00	18.00	3.00	10.00	1.20	0.435	0.391	0.478
6709/HH	40.00	18.00	3.00	10.00	1.50	0.543	0.488	0.597
6709/EH	40.00	18.00	3.00	10.00	1.65	0.598	0.538	0.657



BEARING BOTTOM

SEC.NO.	Amm	Bmm	ϕCmm	Dmm	Emm	Tmm	Kg/Mtr.	Kg/Mtr.	
								Min. Wt.	Max. Wt.
6788	51.50	18.00	3.00	10.00	13.20	0.85	0.366	0.329	0.402
6706	51.50	18.00	3.00	10.00	13.20	1.00	0.431	0.387	0.474
6706/HH	51.50	18.00	3.00	10.00	13.20	1.45	0.624	0.561	0.686
6706/EH	51.50	18.00	3.00	10.00	13.20	1.65	0.711	0.639	0.782




BEARING BOTTOM

SEC.NO.	Amm	Bmm	ϕCmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min. Wt.	Max. Wt.
7678	50.00	18.00	3.00	10.00	1.00	0.443	0.398	0.490




18 MM WINDOW SERIES



2 TRACK TOP


SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6718/L	61.80	31.60	0.90	0.472	0.425	0.520
6718	61.80	31.60	1.30	0.616	0.554	0.680
6718/EH	61.80	31.60	2.00	0.919	0.827	1.010



2 TRACK BOTTOM


SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6715/L	61.80	31.60	0.90	0.570	0.510	0.630
6715	61.80	31.60	1.10	0.613	0.550	0.675

18 MM WINDOW SERIES



3 TRACK TOP


SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6712/L	92.00	32.15	0.90	0.680	0.612	0.748
6712/H	92.00	32.15	1.20	0.870	0.783	0.957
6712/HH	92.00	32.15	1.65	1.145	1.030	1.259
6712/EH	92.00	32.15	2.00	1.342	1.207	1.476
6712/EHH	92.00	32.15	2.30	1.391	1.252	1.530



3 TRACK BOTTOM


SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6714/L	92.00	32.15	0.90	0.780	0.702	0.585
6714/H	92.00	32.15	1.15	0.991	0.892	1.091
6714/HH	92.00	32.15	1.65	1.290	1.161	1.419
6714/EH	92.00	32.15	2.00	1.507	1.356	1.658
6714/EHH	92.00	32.15	2.30	1.577	1.420	1.735

18 MM WINDOW SERIES



4 TRACK TOP

SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6721/L	123.00	31.00	1.00	0.910	0.819	1.001
6721/H	123.00	31.00	1.02	0.928	0.835	1.020
6721/EH	123.00	31.00	1.65	1.501	1.350	1.651




4 TRACK BOTTOM

SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6722/L	123.00	31.00	1.00	1.061	0.955	1.167
6722/H	123.00	31.00	1.03	1.092	0.983	1.201
6722/EH	123.00	31.00	1.65	1.750	1.575	1.925

MAAN SEC.-7601


0.697 Kg/Mtr.



2 TRACK TOP

MAAN SEC.-7602

0.797 Kg/Mtr.




2 TRACK BOTTOM




18 MM WINDOW SERIES

MAAN SEC.-6710




MAAN SEC.-6725

1.220 Kg/Mtr.




MAAN SEC.-7669

0.524 Kg/Mtr.



MAAN SEC.-7670

0.502 Kg/Mtr.






18 MM WINDOW SERIES


MAAN SEC.-6723

0.218 Kg/Mtr.




MAAN SEC.-89391

0.568 Kg/Mtr.




MAAN SEC.-7823

0.414 Kg/Mtr.




MAAN SEC.-89392

0.463 Kg/Mtr.




MAAN SEC.-89026

0.312 Kg/Mtr.




MAAN SEC.-89905

0.403 Kg/Mtr.




MAAN SEC.-89027

0.275 Kg/Mtr.




MAAN SEC.-89908

0.513 Kg/Mtr.




MAAN SEC.-89028

0.295 Kg/Mtr.



MAAN SEC.-89906

0.508 Kg/Mtr.






18 MM WINDOW SERIES


MAAN SEC.-89907

0.435 Kg/Mtr.




MAAN SEC.-6775

1.060 Kg/Mtr.



MAAN SEC.-6776

0.780 Kg/Mtr.



MAAN SEC.-6773

1.476 Kg/Mtr.

