




MAAN ALUMINIUM LTD.

EQUAL ANGLE




SEC.NO.	SECTION SIZE (IN MM.)		WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')	SEC.NO.	SECTION SIZE (IN MM.)		WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	T				A	T		
2101	24.00	1.00	0.127	0.432 TO 0.497	2134	60.00	2.00	0.637	2.168 TO 2.494
2104	18.00	1.15	0.108	0.368 TO 0.424	2135	50.00	2.00	0.529	1.800 TO 2.071
2105	25.40	1.80	0.238	0.810 TO 0.932	2136	15.00	2.00	0.151	0.514 TO 0.592
2106	25.40	2.40	0.314	1.067 TO 1.228	2137	20.00	2.40	0.244	0.829 TO 0.954
2107	50.00	5.00	1.283	4.363 TO 5.020	2138	25.40	3.20	0.411	1.399 TO 1.610
2108	40.00	4.00	0.821	2.792 TO 3.213	2139	38.10	3.20	0.631	2.146 TO 2.469
2109	20.00	1.50	0.156	0.530 TO 0.610	2141	50.80	4.80	1.255	4.268 TO 4.910
2110	30.00	2.00	0.313	1.065 TO 1.226	2143	25.40	1.60	0.213	0.723 TO 0.832
2111	30.00	2.50	0.388	1.320 TO 1.519	2144	38.10	1.60	0.322	1.096 TO 1.261
2112	40.00	3.00	0.624	2.122 TO 2.441	2145	31.75	3.20	0.521	1.772 TO 2.039
2113	50.00	4.00	1.037	3.527 TO 4.058	2146	37.00	1.50	0.294	0.999 TO 1.149
2115	38.10	1.50	0.303	1.029 TO 1.184	2147	76.20	3.18	1.281	4.359 TO 5.015
2117	15.00	0.95	0.075	0.253 TO 0.292	2148	15.00	0.80	0.063	0.215 TO 0.247
2118	20.00	0.95	0.100	0.341 TO 0.392	2149	19.00	0.80	0.080	0.273 TO 0.315
2119	25.40	0.90	0.121	0.413 TO 0.475	2150	31.00	1.10	0.181	0.615 TO 0.708
2120	19.05	0.90	0.090	0.308 TO 0.354	2151	15.87	1.58	0.129	0.438 TO 0.504
2122	12.70	0.90	0.060	0.203 TO 0.233	2152	31.75	1.58	0.264	0.899 TO 1.034
2123	20.00	1.20	0.126	0.428 TO 0.492	2153	76.20	6.35	2.504	8.519 TO 9.801
2125	40.00	3.50	0.723	2.459 TO 2.830	2154	19.05	3.17	0.299	1.017 TO 1.170
2128	38.00	3.50	0.685	2.331 TO 2.682	2155	38.10	6.35	1.198	4.074 TO 4.687
2129	25.00	1.30	0.171	0.582 TO 0.669	2156	12.70	3.20	0.192	0.653 TO 0.751
2130	20.00	2.00	0.205	0.698 TO 0.803	2157	38.10	4.76	0.918	3.123 TO 3.594
2132	40.00	2.00	0.421	1.433 TO 1.649	2158	12.70	1.58	0.102	0.346 TO 0.398
					2159	31.75	4.76	0.755	2.568 TO 2.955
					2160	30.00	1.50	0.237	0.806 TO 0.927



MAAN ALUMINIUM LTD.

ANGLE EDGE RADIUS




SEC.NO.	SECTION SIZE (IN MM.)					WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	B	T	R	r		
2502	25.40	25.40	3.18	0.75	1.50	0.409	1.391 TO 1.601
2505	25.40	19.00	3.20	1.60	1.60	0.354	1.204 TO 1.386
2513	50.80	50.80	4.76	6.10	0.00	1.271	4.324 TO 4.975
2516	38.10	38.10	6.35	4.76	3.18	1.204	4.096 TO 4.713
2517	76.20	76.20	6.35	7.93	6.35	2.498	8.498 TO 9.777
2518	44.50	44.50	6.35	4.76	3.18	1.421	4.834 TO 5.562
2519	50.80	50.80	3.18	6.35	3.18	0.861	2.929 TO 3.370
2520	50.80	50.80	6.35	6.35	3.18	1.649	5.610 TO 6.454
2521	50.80	50.80	4.75	6.35	3.18	1.258	4.280 TO 4.924
2522	19.05	19.05	3.18	3.18	2.38	0.304	1.034 TO 1.190
2523	25.40	25.40	3.18	3.18	2.38	0.413	1.405 TO 1.617
2524	50.80	50.80	9.53	6.35	3.18	2.385	8.114 TO 9.335
2525	25.40	25.40	4.76	3.18	2.38	0.594	2.021 TO 2.325
2526	25.40	25.40	6.35	3.18	2.38	0.766	2.606 TO 2.998
2527	31.75	31.75	3.18	4.76	3.18	0.524	1.783 TO 2.051
2528	63.50	63.50	4.76	6.35	3.18	1.587	5.399 TO 6.212
2529	63.50	63.50	6.35	6.35	3.18	2.085	7.093 TO 8.161
2530	31.75	31.75	6.35	4.76	3.18	0.986	3.354 TO 3.859
2531	38.10	38.10	3.18	4.76	3.18	0.633	2.153 TO 2.478
2532	76.20	76.20	4.76	7.93	3.18	1.927	6.556 TO 7.542
2533	50.80	38.10	6.35	4.76	3.18	1.421	4.834 TO 5.562
2534	76.20	50.80	6.35	7.93	4.76	2.083	7.086 TO 8.153
2535	19.05	15.88	2.38	0.79	2.38	0.208	0.708 TO 0.814



MAAN ALUMINIUM LTD.

UNEQUAL ANGLE




SEC.NO.	SECTION SIZE (IN MM.)			WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	B	T		
2302	25.40	19.05	1.50	0.174	0.592 TO 0.681
2304	38.10	25.40	3.17	0.516	1.757 TO 2.021
2305	38.00	25.00	2.40	0.393	1.336 TO 1.537
2306	25.40	12.70	0.90	0.090	0.308 TO 0.354
2307	36.50	17.50	1.20	0.171	0.582 TO 0.670
2310	50.00	20.00	2.00	0.367	1.249 TO 1.437
2311	50.00	30.00	3.00	0.624	2.122 TO 2.441
2312	100.00	50.00	3.00	1.191	4.051 TO 4.660
2313	75.00	20.00	2.00	0.502	1.708 TO 1.966
2314	100.00	20.00	2.00	0.637	2.168 TO 2.494
2315	40.00	20.00	2.00	0.313	1.065 TO 1.226
2317	80.00	40.00	4.00	1.253	4.262 TO 4.904
2318	60.00	30.00	3.00	0.705	2.397 TO 2.758
2319	60.00	30.00	2.00	0.475	1.617 TO 1.860
2321	50.00	25.00	2.00	0.394	1.341 TO 1.543
2322	100.00	50.00	5.00	1.958	6.659 TO 7.662
2323	120.00	20.00	2.00	0.745	2.535 TO 2.917
2324	50.00	10.00	5.00	0.743	2.526 TO 2.906
2325	12.00	6.00	1.00	0.046	0.156 TO 0.180



MAAN ALUMINIUM LTD.

UNEQUAL ANGLE




SEC.NO.	SECTION SIZE (IN MM.)			WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	B	T		
2326	18.00	12.00	0.90	0.071	0.241 TO 0.277
2327	19.05	12.25	1.05	0.086	0.294 TO 0.338
2328	25.40	20.64	3.18	0.368	1.252 TO 1.440
2329	50.80	25.40	3.18	0.627	2.133 TO 2.454
2330	63.50	25.40	3.18	0.736	2.504 TO 2.881
2332	25.40	12.70	1.60	0.158	0.536 TO 0.617
2333	76.20	50.80	3.17	1.060	3.606 TO 4.148
2334	76.20	50.80	6.35	2.069	7.037 TO 8.096
2335	38.10	25.40	1.60	0.267	0.910 TO 1.047
2336	38.10	19.00	3.20	0.466	1.584 TO 1.823
2337	20.00	10.00	1.50	0.115	0.393 TO 0.452
2338	25.40	12.70	3.17	0.299	1.017 TO 1.170
2339	101.60	50.80	3.17	1.277	4.345 TO 4.999
2340	101.60	50.80	6.35	2.504	8.519 TO 9.801
2341	19.05	12.70	1.58	0.129	0.438 TO 0.504
2342	50.00	38.10	3.17	0.734	2.496 TO 2.872
2343	101.60	25.40	3.17	1.060	3.606 TO 4.148
2344	76.20	38.10	3.17	0.951	3.236 TO 3.723
2345	15.00	10.00	1.50	0.095	0.324 TO 0.373
2346	50.80	38.10	4.76	1.081	3.679 TO 4.233
2347	50.80	25.40	6.35	1.198	4.074 TO 4.687
2348	19.05	12.70	1.25	0.103	0.350 TO 0.403
2350	38.10	12.70	3.17	0.408	1.387 TO 1.596



MAAN ALUMINIUM LTD.

UNEQUAL ANGLE




SEC.NO.	SECTION SIZE (IN MM.)			WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	B	T		
2351	25.00	15.00	1.50	0.156	0.530 TO 0.610
2352	76.20	38.10	6.35	1.851	6.296 TO 7.244
2354	25.00	20.00	2.00	0.232	0.790 TO 0.909
2355	40.00	15.00	2.00	0.286	0.974 TO 1.120
2357	31.75	25.40	3.17	0.462	1.572 TO 1.808
2358	19.05	12.70	3.18	0.245	0.835 TO 0.960
2359	75.00	50.00	6.00	1.928	6.558 TO 7.546
2360	60.00	40.00	4.00	1.037	3.527 TO 4.058
2361	60.00	40.00	5.00	1.282	4.363 TO 5.020
2362	38.10	22.23	3.18	0.490	1.667 TO 1.918
2363	50.00	25.00	3.00	0.583	1.984 TO 2.283
2364	30.00	11.00	5.00	0.486	1.653 TO 1.902
2365	38.00	25.00	4.00	0.636	2.160 TO 2.490
2366	26.00	19.00	1.50 & 2.50	0.223	0.760 TO 0.870
2367	25.00	10.00	2.00	0.177	0.600 TO 0.690
2368	35.00	19.00	2.00	0.280	0.922 TO 1.127
2369	38.00	25.00	3.00	0.486	1.600 TO 1.956
2370	55.00	30.00	2.50	0.557	1.834 TO 2.242
2371	22.50	12.70	2.00	0.179	0.589 TO 0.720
2373	38.00	25.00	2.25	0.369	1.215 TO 1.485
2374	50.00	25.00	4.00	0.767	2.61 TO 3.00



SPECIAL ANGLE


MAAN SEC.-2503

0.584 Kg/Mtr.




MAAN SEC.-2504

0.207 Kg/Mtr.




MAAN SEC.-2506

0.712 Kg/Mtr.




MAAN SEC.-2508

5.103 Kg/Mtr.



MAAN SEC.-2507

0.452 Kg/Mtr.






SPECIAL ANGLE


MAAN SEC.-2559

0.413 Kg/Mtr.




MAAN SEC.-2510

6.903 Kg/Mtr.




MAAN SEC.-2511

1.498 Kg/Mtr.



MAAN SEC.-2560

0.505 Kg/Mtr.






SPECIAL ANGLE


MAAN SEC.-2551

1.081 Kg/Mtr.




MAAN SEC.-2553

0.348 Kg/Mtr.




MAAN SEC.-2552

0.385 Kg/Mtr.




MAAN SEC.-2554

0.313 Kg/Mtr.




MAAN SEC.-2555

0.329 Kg/Mtr.



MAAN SEC.-2556

0.356 Kg/Mtr.






MAAN ALUMINIUM LTD.

SPECIAL ANGLE


MAAN SEC.-2557

0.202 Kg/Mtr.



MAAN SEC.-2558


0.459 Kg/Mtr.






MAAN SEC.-2802

0.037 Kg/Mtr.



MAAN SEC.-2803

0.231 Kg/Mtr.



MAAN SEC.-2804

0.320 Kg/Mtr.

