



3 TRACK TOP

SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6712/L	92.00	32.15	0.90	0.680	0.612	0.748
6712/H	92.00	32.15	1.20	0.870	0.783	0.957
6712/HH	92.00	32.15	1.65	1.145	1.030	1.259
6712/EH	92.00	32.15	2.00	1.342	1.207	1.476
6712/EHH	92.00	32.15	2.30	1.391	1.252	1.530




3 TRACK BOTTOM

SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6714/L	92.00	32.15	0.90	0.780	0.702	0.585
6714/H	92.00	32.15	1.15	0.991	0.892	1.091
6714/HH	92.00	32.15	1.65	1.290	1.161	1.419
6714/EH	92.00	32.15	2.00	1.507	1.356	1.658
6714/EHH	92.00	32.15	2.30	1.577	1.420	1.735




3 TRACK TOP

SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6712/L	92.00	32.15	0.90	0.680	0.612	0.748
6712/H	92.00	32.15	1.20	0.870	0.783	0.957
6712/HH	92.00	32.15	1.65	1.145	1.030	1.259
6712/EH	92.00	32.15	2.00	1.342	1.207	1.476
6712/EHH	92.00	32.15	2.30	1.391	1.252	1.530




3 TRACK BOTTOM

SEC.NO.	Amm	Bmm	Tmm	Kg/Mtr.	Kg/Mtr.	
					Min. Wt.	Max. Wt.
6714/L	92.00	32.15	0.90	0.780	0.702	0.585
6714/H	92.00	32.15	1.15	0.991	0.892	1.091
6714/HH	92.00	32.15	1.65	1.290	1.161	1.419
6714/EH	92.00	32.15	2.00	1.507	1.356	1.658
6714/EHH	92.00	32.15	2.30	1.577	1.420	1.735




INTERLOCK

SEC.NO.	Amm	Bmm	ϕ Cmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min. Wt.	Max. Wt.
6787	40.00	18.00	3.00	10.00	0.85	0.360	0.324	0.396
6705/L	40.00	18.00	3.00	10.00	1.00	0.423	0.380	0.465
6705/H	40.00	18.00	3.00	10.00	1.10	0.469	0.422	0.515
6705/HH	40.00	18.00	3.00	10.00	1.45	0.614	0.552	0.675
6705/EH	40.00	18.00	3.00	10.00	1.65	0.699	0.629	0.768



BEARING BOTTOM


SEC.NO.	Amm	Bmm	ϕ Cmm	Dmm	Emm	Tmm	Kg/Mtr.	Kg/Mtr.	
								Min. Wt.	Max. Wt.
6788	51.50	18.00	3.00	10.00	13.20	0.85	0.366	0.329	0.402
6706	51.50	18.00	3.00	10.00	13.20	1.00	0.431	0.387	0.474
6706/HH	51.50	18.00	3.00	10.00	13.20	1.45	0.624	0.561	0.686
6706/EH	51.50	18.00	3.00	10.00	13.20	1.65	0.711	0.639	0.782



HANDLE

SEC.NO.	Amm	Bmm	φCmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min. Wt.	Max. Wt.
6789	40.00	18.00	3.00	10.00	0.85	0.301	0.270	0.331
6707/L	40.00	18.00	3.00	10.00	1.00	0.354	0.318	0.389
6707	40.00	18.00	3.00	10.00	1.25	0.443	0.398	0.487
6707/HH	40.00	18.00	3.00	10.00	1.55	0.549	0.494	0.603
6707/EH	40.00	18.00	3.00	10.00	1.65	0.584	0.525	0.642

TOP BOTTOM




SEC.NO.	Amm	Bmm	φCmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min. Wt.	Max. Wt.
6790	40.00	18.00	3.00	10.00	0.85	0.307	0.276	0.337
6709/L	40.00	18.00	3.00	10.00	1.00	0.363	0.326	0.399
6709/H	40.00	18.00	3.00	10.00	1.20	0.435	0.391	0.478
6709/HH	40.00	18.00	3.00	10.00	1.50	0.543	0.488	0.597
6709/EH	40.00	18.00	3.00	10.00	1.65	0.598	0.538	0.657



SLIDING WINDOW


MAAN SEC.-89359

1.160 Kg/Mtr.




MAAN SEC.-89360

1.005 Kg/Mtr.




MAAN SEC.-6759

0.624 Kg/Mtr.




MAAN SEC.-6758

0.799 Kg/Mtr.




MAAN SEC.-6760

0.649 Kg/Mtr.



MAAN SEC.-6761

0.528 Kg/Mtr.






SLIDING WINDOW


MAAN SEC.-6764

0.647 Kg/Mtr.




MAAN SEC.-6771

0.376 Kg/Mtr.




MAAN SEC.-6765

0.684 Kg/Mtr.




MAAN SEC.-6776

0.775 Kg/Mtr.




MAAN SEC.-6733

0.642 Kg/Mtr.




MAAN SEC.-6779

0.933 Kg/Mtr.




MAAN SEC.-6770
6770/L

0.466 Kg/Mtr.
0.317 Kg/Mtr.



MAAN SEC.-6780

0.912 Kg/Mtr.






SLIDING WINDOW


MAAN SEC.-6781

0.820 Kg/Mtr.




MAAN SEC.-6796

0.300 Kg/Mtr.




MAAN SEC.-6797

0.392 Kg/Mtr.




MAAN SEC.-6782

0.632 Kg/Mtr.




MAAN SEC.-6791


0.450 Kg/Mtr.



MAAN SEC.-6710


1.353 Kg/Mtr.






**DOOR
VERTICAL**

SEC.NO.	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Tmm	Kg/Mtr.	Kg/Mtr.	
									Min.Wt.	Max.Wt.
6801/L	46.30	45.00	15.00	18.00	11.50	4.00	1.20	0.687	0.618	0.755
6801	46.30	45.00	15.00	18.00	11.50	4.00	1.50	0.827	0.744	0.909
6801/EH	46.30	45.00	15.00	18.00	11.50	4.00	3.03	1.502	1.351	1.652




SEC.NO.	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Tmm	Kg/Mtr.	Kg/Mtr.	
									Min.Wt.	Max.Wt.
6803/L	85.00	44.50	15.00	18.00	11.40	5.00	1.70	1.247	1.122	1.371
6803/M	85.00	44.50	15.00	18.00	11.40	5.00	2.40	1.687	1.518	1.855
6803/H	85.00	44.50	15.00	18.00	11.40	5.00	2.85	1.965	1.768	2.161




**DOOR
VERTICAL**

SEC.NO.	Amm	Bmm	Cmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min.Wt.	Max.Wt.
6804	46.30	45.00	15.00	18.00	1.40	0.715	0.640	0.786
6804/EH	46.30	45.00	15.00	18.00	3.00	1.383	1.244	1.521




**GLAZING
CLIP**

SEC.NO.	Amm	Bmm	Tmm	Kg/12'
6805/XL	18.20	16.60	0.50	0.220 TO 0.260
6805/EL	18.20	16.60	0.60	0.260 TO 0.300
6805/L	18.20	16.60	0.70	0.300 TO 0.350
6805/H	18.20	16.60	0.85	0.350 TO 0.400
6805/EH	18.20	16.60	1.00	0.400 TO 0.500




**SINGLE
PARTITION**

SEC.NO.	Amm	Bmm	Cmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min.Wt.	Max.Wt.
6816	50.80	25.40	15.00	18.00	1.00	0.478	0.430	0.525
6860	63.50	38.00	15.00	18.00	0.85	0.547	0.492	0.602
6802/L	63.50	38.00	15.00	18.00	1.10	0.681	0.612	0.749
6802	63.50	38.00	15.00	18.00	1.30	0.787	0.708	0.865
6823	63.50	38.00	15.00	18.00	1.72	1.006	0.905	1.106
6823/EH	63.50	38.00	15.00	18.00	3.00	1.651	1.486	1.816
6862	63.50	38.00	15.00	18.00	1.90	1.099	0.989	1.209
7804	63.50	25.40	15.00	18.00	0.85	0.481	0.432	0.529
6814	82.55	38.00	15.00	18.00	1.45	1.001	0.900	1.101
6812/L	101.30	44.20	15.00	18.00	1.35	1.120	1.008	1.232
6812/M	101.30	44.20	15.00	18.00	1.45	1.197	1.077	1.316
6812/H	101.30	44.20	15.00	18.00	1.90	1.537	1.383	1.690
6817/L	101.30	44.20	15.00	18.00	2.60	2.058	1.852	2.263
6817	101.30	44.20	15.00	18.00	3.00	2.350	2.115	2.585
6865	101.30	25.40	15.00	19.80	1.20	0.888	0.799	0.976
6864	123.00	24.00	15.00	19.80	1.50	1.264	1.137	1.390




**DOUBLE
PARTITION**

SEC.NO.	Amm	Bmm	Cmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min.Wt.	Max.Wt.
6861	63.50	38.00	15.00	18.00	0.70	0.552	0.496	0.607
6807/L	63.50	38.00	15.00	18.00	1.10	0.768	0.691	0.845
6807	63.50	38.00	15.00	18.00	1.30	0.875	0.787	0.962
6824	63.50	38.00	15.00	18.00	1.68	1.077	0.969	1.184
6824/EH	63.50	38.00	15.00	18.00	3.00	1.752	1.576	1.927
6863	63.50	38.00	15.00	18.00	1.70	1.087	0.978	1.195
6811	50.80	25.40	15.00	18.00	1.00	0.578	0.520	0.620
6815	82.55	38.00	15.00	18.00	1.30	0.986	0.887	1.084
6813/L	101.30	44.20	15.00	18.00	1.30	1.162	1.045	1.278
6813	101.30	44.20	15.00	18.00	1.90	1.621	1.459	1.783
6818/L	101.30	44.20	15.00	18.00	2.60	2.146	1.459	1.783
6818	101.30	44.20	15.00	18.00	3.00	2.442	2.196	2.686
6867	125.00	50.00	15.00	18.00	2.00	2.120	1.908	2.332
7805	63.50	25.40	15.00	18.00	0.85	0.568	0.511	0.624




**DOOR
TOP-BOTTOM**

SEC.NO.	Amm	Bmm	Cmm	Dmm	Emm	Tmm	Kg/Mtr.	Kg/Mtr.	
								Min.Wt.	Max.Wt.
6820/L	114.30	44.45	15.00	18.00	10.15	1.30	1.164	1.047	1.280
6820/M	114.30	44.45	15.00	18.00	10.15	1.55	1.367	1.230	1.503
6820/H	114.30	44.45	15.00	18.00	10.15	2.30	1.968	1.771	2.164
6808/SPL	47.00	45.00	15.00	18.00	10.00	3.00	1.442	1.297	1.586




GLAZING PATTI

SEC.NO.	Amm	Bmm	Dmm	Tmm	Kg/Mtr.
6809/L	43.70	3.55	15.00	1.00	0.189
6809	43.70	3.55	15.00	1.25	0.213
6809/EH	43.70	3.55	15.00	1.35	0.223
6809/EHH	43.70	3.55	15.00	1.40	0.228



DOOR TOP

SEC.NO.	Amm	Bmm	Cmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min.Wt.	Max.Wt.
6819/EL	47.62	44.45	15.00	18.00	1.15	0.631	0.567	0.694
6819/L	47.62	44.45	15.00	18.00	1.45	0.767	0.690	0.843
6819	47.62	44.45	15.00	18.00	1.55	0.812	0.730	0.893
6819/HH	47.62	44.45	15.00	18.00	1.90	0.968	0.871	1.064
6819/EH	47.62	44.45	15.00	18.00	3.05	1.462	1.315	1.608
6821/L	83.50	44.45	15.00	18.00	1.45	1.046	0.941	1.150
6821/M	83.50	44.45	15.00	18.00	1.60	1.142	1.027	1.256
6821/H	83.50	44.45	15.00	18.00	2.95	1.989	1.790	2.187



DOOR MIDDLE

SEC.NO.	Amm	Bmm	Cmm	Dmm	Tmm	Kg/Mtr.	Kg/Mtr.	
							Min.Wt.	Max.Wt.
6810/L	47.00	45.00	15.00	18.00	0.95	0.609	0.548	0.669
6810/H	47.00	45.00	15.00	18.00	1.20	0.720	0.648	0.792
6810/EH	47.00	45.00	15.00	18.00	3.25	1.580	1.422	1.738
6822	49.91	44.45	15.00	18.00	1.50	0.883	0.794	0.971
6825/L	83.00	44.45	15.00	18.00	1.40	1.063	0.956	1.169
6825	83.00	44.45	15.00	18.00	1.65	1.220	1.098	1.342




MAAN ALUMINIUM LTD.

SLIDING WINDOW


MAAN SEC.-6701
6701/L

0.366 Kg/Mtr.
0.247 Kg/Mtr.




MAAN SEC.-6718/H
6718/L

0.580 Kg/Mtr.
0.472 Kg/Mtr.




MAAN SEC.-6702

0.525 Kg/Mtr.




MAAN SEC.-6715/H
6715/L

0.660 Kg/Mtr.
0.520 Kg/Mtr.




MAAN SEC.-6720

0.810 Kg/Mtr.



MAAN SEC.-6792

0.377 Kg/Mtr.



MAAN SEC.-6723

0.207 Kg/Mtr.

